Author Index

Acworth, I.N., see Greaney, M.D. 622(1993)125
Akasaka, K., Ohrui, H. and Meguro, H.
Simultaneous determination of hydroperoxides of phosphatidylcholine, cholesterol esters and triacylglycerols by column-switching high-performance liquid chromatography with a post-column detection system 622(1993)153
Au, J.L.-S., see Yeh, T.-K. 622(1993)255
Bailey, B.A., see Greaney, M.D. 622(1993)125
Beijnen, J.H., see Burger, D.M. 622(1993)235
Beijnen, J.H., see Wafelman, A.R. 622(1993)71
Bekersky, I., see Hanson, G.D. 622(1993)61
Bermejo, E., see Chicharro, M. 622(1993)103
Berthou, F., see Lucas, D. 622(1993)79
Bestmann, H.J., see Tsikas, D. 622(1993)1
Bi, H., see Li, F. 622(1993)187
Bolaji, O.O., Onyeji, C.O., Ogungbamila, F.O., Ogunbona, F.A. and Ogunlana, E.O.
High-performance liquid chromatographic method for the determination of drotaverine in human plasma and urine 622(1993)93
Bowling, D.J., see Pinkston, J.D. 622(1993)209
Brunner, L.J., DiPiro, J.T. and Feldman, S.
Serum antipyrine concentrations determined by micellar electrokinetic capillary chromatography 622(1993)98
Brunt, E.P.R., see Wolthers, B.G. 622(1993)33
Bult, A., see Burger, D.M. 622(1993)235
Burger, D.M., Rosing, H., Koopman, F.J., Meenhorst, P.L., Mulder, J.W., Bult, A. and Beijnen, J.H.
Determination of 3′-amino-3′-deoxythymidine, a cytotoxic metabolite of 3′-azido-3′-deoxythymidine, in human plasma by ion-pair high-performance liquid chromatography 622(1993)235
Campbell, B.J., Davies, M.J., Rhodes, J.M. and Hounsell, E.F.
Separation of neutral oligosaccharide alditols from human meconium using high-pH anion-exchange chromatography 622(1993)137
Celma, C.
Determination of the aza alkyl lysophospholipid 3-methoxy-2-N,N-methyloctadecylaminopropyloxyphosphorylcholine in rat plasma by liquid chromatography–particle beam–mass spectrometry 622(1993)215
Chan, K.C., Janini, G.M., Muschik, G.M. and Issaq, H.J.
Micellar electrokinetic chromatography of hydroxyproline and other secondary amino acids in biological samples with laser-induced fluorescence detection 622(1993)269
Chevanne, F., see Le Guévello, P. 622(1993)284
Chiap, P., see Hubert, Ph. 622(1993)53
Chicharro, M., Zapardiel, A., Bermejo, E., Perez, J.A. and Hernández, L.
Direct determination of ephedrine and norephedrine in human urine by capillary zone electrophoresis 622(1993)103
Cooper, S., see Li, F. 622(1993)187
Côté, M., see Li, F. 622(1993)187
Crommen, J., see Hubert, Ph. 622(1993)53
Dalton, J.T., see Yeh, T.-K. 622(1993)255
Davies, M.J., see Campbell, B.J. 622(1993)137
Delattre, L., see Hubert, Ph. 622(1993)53
De Ruyter Buitenhuis, A.W., see Wolthers, B.G. 622(1993)33
Díaz-Alejo, N. and Vilanova, E.
Chiral high-performance liquid chromatography and gas chromatography of the stereoisomers of hexyl 2,5-dichlorophenyl phosphoramidate 622(1993)179
DiPiro, J.T., see Brunner, L.J. 622(1993)98
Elshof, F., see Wolthers, B.G. 622(1993)33
Eue, S., see Hartleb, J. 622(1993)161
Evrard, B., see Hubert, Ph. 622(1993)53
Fauler, J., see Tsikas, D. 622(1993)1
Feldman, S., see Brunner, L.J. 622(1993)98
Ferretti, A. and Flanagan, V.P.
Assay of urinary 2,3-dinor-6-oxo prostaglandin $F_{1\alpha}$ by gas chromatography–tandem mass spectrometry 622(1993)109
Flanagan, V.P., see Ferretti, A. 622(1993)109
Frölich, J.C., see Tsikas, D. 622(1993)1
Gaillard, Y., Gay-Montchamp, J.-P. and Ollagnier, M.
Simultaneous screening and quantitation of alpidem, zolpidem, buspirone and benzodiazepines by dual-channel gas chromatography using electron-capture and nitrogen–phosphorus detection after solid-phase extraction 622(1993)197
Gay-Montchamp, J.-P., see Gaillard, Y. 622(1993)197
Gehrcke, B., see Granville, C.P. 622(1993)21
Girre, C., see Lucas, D. 622(1993)79
Glasa, J., see Veningerová, M. 622(1993)274
Granville, C.P., Gehrcke, B., König, W.A. and Wainer, I.W.
Determination of the enantiomers of ifosfamide and its 2- and 3-N-dechloroethylated metabolites in plasma and urine using enantioselective gas chromatography with mass spectrometric detection 622(1993)21
Greaney, M.D., Marshall, D.L., Bailey, B.A. and Acworth, I.N.
Improved method for the routine analysis of acetylcholine release *in vivo*: quantitation in the presence and absence of esterase inhibitor 622(1993)125
Gutzki, F.M., see Tsikas, D. 622(1993)1
Hanson, G.D., Slattum, P., Tidwell, R.R., Bekersky, I. and Mong, S.
Determination of 1,3-di(4-imidazolino-2-methoxyphenoxy)propane in rat, dog and human plasma and urine by high-performance liquid chromatography with fluorescence detection 622(1993)61
Hartleb, J., Eue, S. and Kemper, A.
Simultaneous analysis of homovanillic acid, 5-hydroxyindoleacetic acid, 3-methoxy-4-hydroxyphenylethylene glycol and vanilmandelic acid in plasma from alcoholics by high-performance liquid chromatography with electrochemical detection. Critical comparison of solid-phase and liquid–liquid extraction methods 622(1993)161

Author Index

Acworth, I.N., see Greaney, M.D. 622(1993)125
Akasaka, K., Ohrui, H. and Meguro, H.
Simultaneous determination of hydroperoxides of phosphatidylcholine, cholesterol esters and triacylglycerols by column-switching high-performance liquid chromatography with a post-column detection system 622(1993)153
Au, J.L.-S., see Yeh, T.-K. 622(1993)255
Bailey, B.A., see Greaney, M.D. 622(1993)125
Beijnen, J.H., see Burger, D.M. 622(1993)235
Beijnen, J.H., see Wafelman, A.R. 622(1993)71
Bekersky, I., see Hanson, G.D. 622(1993)61
Bermejo, E., see Chicharro, M. 622(1993)103
Berthou, F., see Lucas, D. 622(1993)79
Bestmann, H.J., see Tsikas, D. 622(1993)1
Bi, H., see Li, F. 622(1993)187
Bolaji, O.O., Onyeji, C.O., Ogungbamila, F.O., Ogunbona, F.A. and Ogunlana, E.O.
High-performance liquid chromatographic method for the determination of drotaverine in human plasma and urine 622(1993)93
Bowling, D.J., see Pinkston, J.D. 622(1993)209
Brunner, L.J., DiPiro, J.T. and Feldman, S.
Serum antipyrine concentrations determined by micellar electrokinetic capillary chromatography 622(1993)98
Brunt, E.P.R., see Wolthers, B.G. 622(1993)33
Bult, A., see Burger, D.M. 622(1993)235
Burger, D.M., Rosing, H., Koopman, F.J., Meenhorst, P.L., Mulder, J.W., Bult, A. and Beijnen, J.H.
Determination of 3′-amino-3′-deoxythymidine, a cytotoxic metabolite of 3′-azido-3′-deoxythymidine, in human plasma by ion-pair high-performance liquid chromatography 622(1993)235
Campbell, B.J., Davies, M.J., Rhodes, J.M. and Hounsell, E.F.
Separation of neutral oligosaccharide alditols from human meconium using high-pH anion-exchange chromatography 622(1993)137
Celma, C.
Determination of the aza alkyl lysophospholipid 3-methoxy-2-N,N-methyloctadecylaminopropyloxyphosphorylcholine in rat plasma by liquid chromatography–particle beam–mass spectrometry 622(1993)215
Chan, K.C., Janini, G.M., Muschik, G.M. and Issaq, H.J.
Micellar electrokinetic chromatography of hydroxyproline and other secondary amino acids in biological samples with laser-induced fluorescence detection 622(1993)269
Chevanne, F., see Le Guévello, P. 622(1993)284
Chiap, P., see Hubert, Ph. 622(1993)53
Chicharro, M., Zapardiel, A., Bermejo, E., Perez, J.A. and Hernández, L.
Direct determination of ephedrine and norephedrine in human urine by capillary zone electrophoresis 622(1993)103
Cooper, S., see Li, F. 622(1993)187
Côté, M., see Li, F. 622(1993)187
Crommen, J., see Hubert, Ph. 622(1993)53
Dalton, J.T., see Yeh, T.-K. 622(1993)255
Davies, M.J., see Campbell, B.J. 622(1993)137
Delattre, L., see Hubert, Ph. 622(1993)53
De Ruyter Buitenhuis, A.W., see Wolthers, B.G. 622(1993)33
Díaz-Alejo, N. and Vilanova, E.
Chiral high-performance liquid chromatography and gas chromatography of the stereoisomers of hexyl 2,5-dichlorophenyl phosphoramidate 622(1993)179
DiPiro, J.T., see Brunner, L.J. 622(1993)98
Elshof, F., see Wolthers, B.G. 622(1993)33
Eue, S., see Hartleb, J. 622(1993)161
Evrard, B., see Hubert, Ph. 622(1993)53
Fauler, J., see Tsikas, D. 622(1993)1
Feldman, S., see Brunner, L.J. 622(1993)98
Ferretti, A. and Flanagan, V.P.
Assay of urinary 2,3-dinor-6-oxo prostaglandin $F_{1\alpha}$ by gas chromatography–tandem mass spectrometry 622(1993)109
Flanagan, V.P., see Ferretti, A. 622(1993)109
Frölich, J.C., see Tsikas, D. 622(1993)1
Gaillard, Y., Gay-Montchamp, J.-P. and Ollagnier, M.
Simultaneous screening and quantitation of alpidem, zolpidem, buspirone and benzodiazepines by dual-channel gas chromatography using electron-capture and nitrogen–phosphorus detection after solid-phase extraction 622(1993)197
Gay-Montchamp, J.-P., see Gaillard, Y. 622(1993)197
Gehrcke, B., see Granville, C.P. 622(1993)21
Girre, C., see Lucas, D. 622(1993)79
Glasa, J., see Veningerová, M. 622(1993)274
Granville, C.P., Gehrcke, B., König, W.A. and Wainer, I.W.
Determination of the enantiomers of ifosfamide and its 2- and 3-N-dechloroethylated metabolites in plasma and urine using enantioselective gas chromatography with mass spectrometric detection 622(1993)21
Greaney, M.D., Marshall, D.L., Bailey, B.A. and Acworth, I.N.
Improved method for the routine analysis of acetylcholine release *in vivo*: quantitation in the presence and absence of esterase inhibitor 622(1993)125
Gutzki, F.M., see Tsikas, D. 622(1993)1
Hanson, G.D., Slattum, P., Tidwell, R.R., Bekersky, I. and Mong, S.
Determination of 1,3-di(4-imidazolino-2-methoxyphenoxy)propane in rat, dog and human plasma and urine by high-performance liquid chromatography with fluorescence detection 622(1993)61
Hartleb, J., Eue, S. and Kemper, A.
Simultaneous analysis of homovanillic acid, 5-hydroxyindoleacetic acid, 3-methoxy-4-hydroxyphenylethylene glycol and vanilmandelic acid in plasma from alcoholics by high-performance liquid chromatography with electrochemical detection. Critical comparison of solid-phase and liquid–liquid extraction methods 622(1993)161

He, L., see Kelly, J.W. 622(1993)291
Hernández, L., see Chicharro, M. 622(1993)103
Holomáň, J., see Veningerová, M. 622(1993)274
Homma, M., see Kouno, Y. 622(1993)47
Hounsell, E.F., see Campbell, B.J. 622(1993)137
Hsieh, J.Y.-K., see Morris, M.J. 622(1993)87
Hubert, Ph., Chiap, P., Evrard, B., Delattre, L. and Crommen, J.
Fully automated determination of sulfamethazine in ovine plasma using solid-phase extraction on disposable cartridges and liquid chromatography 622(1993)53
Iida, R., Yasuda, T., Nadano, D., Takeshita, H. and Kishi, K.
Kappa marker typing with high-performance liquid chromatography: identification of kappa marker specific tryptic peptide from the kappa light chain of immunoglobulin G 622(1993)9
Ishikura, C., see Kouno, Y. 622(1993)47
Issaq, H.J., see Chan, K.C. 622(1993)269
Janini, G.M., see Chan, K.C. 622(1993)269
Judson, I., see Raynaud, F. 622(1993)243
Kajita, M., Niwa, T. and Watanabe, K.
Analysis of urinary organic acids by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 622(1993)263
Kelly, J.W., He, L. and Stewart, J.T.
High-performance liquid chromatographic separation of ondansetron enantiomers in serum using a cellulose-derivatized stationary phase and solid-phase extraction 622(1993)291
Kemper, A., see Hartleb, J. 622(1993)161
Kishi, K., see Iida, R. 622(1993)9
Klein, I., Welink, J. and Van der Vijgh, W.J.F.
Determination of Elsamitrucin (BMY-28090) in plasma and urine by high-performance liquid chromatography with fluorescence detection 622(1993)249
König, W.A., see Granville, C.P. 622(1993)21
Koopman, F.J., see Burger, D.M. 622(1993)235
Kouno, Y., Ishikura, C., Homma, M. and Oka, K.
Simple and accurate high-performance liquid chromatographic method for the measurement of three antiepileptics in therapeutic drug monitoring 622(1993)47
Kucharczyk, N., see Romanyshyn, L.A. 622(1993)223
Kucharczyk, N., see Romanyshyn, L.A. 622(1993)229
Lakke, J.P.W.F., see Wolthers, B.G. 622(1993)33
Le Corre, P., see Le Guévello, P. 622(1993)284
Le Guévello, P., Le Corre, P., Chevanne, F. and Le Verge, R.
High-performance liquid chromatographic determination of bupivacaine in plasma samples for biopharmaceutical studies and application to seven other local anaesthetics 622(1993)284
Le Verge, R., see Le Guévello, P. 622(1993)284
Li, F., Bi, H., Côté, M. and Cooper, S.
Identification and determination of the enantiomers of moprolol and their metabolites in human urine by high-performance liquid chromatography and gas chromatography–mass spectrometry 622(1993)187
Lucas, D., Berthou, F., Girre, C., Poitrenaud, F. and Ménez, J.-F.
High-performance liquid chromatographic determination of chlorzoxazone and 6-hydroxychlorzoxazone in serum: a tool for indirect evaluation of cytochrome P4502E1 activity in humans 622(1993)79
Lukácsová, M., see Veningerová, M. 622(1993)274
Maderich, A.B. and Sugita, E.T.
Determination of polyanionic macromolecules by size-exclusion chromatography 622(1993)278
Maes, R.A.A., see Wafelman, A.R. 622(1993)71
Marshall, D.L., see Greaney, M.D. 622(1993)125
Matsui, H., see Ohhira, S. 622(1993)173
Meenhorst, P.L., see Burger, D.M. 622(1993)235
Meguro, H., see Akasaka, K. 622(1993)153
Ménez, J.-F., see Lucas, D. 622(1993)79
Metori, A., Ogamo, A. and Nakagawa, Y.
Quantitation of monohydroxy fatty acids by high-performance liquid chromatography with fluorescence detection 622(1993)147
Mong, S., see Hanson, G.D. 622(1993)61
Morris, M.J. and Hsieh, J.Y.-K.
Determination of tris(hydroxymethyl)aminomethane (tromethamine) in human plasma and urine by high-performance liquid chromatography with fluorescence detection 622(1993)87
Mulder, J.W., see Burger, D.M. 622(1993)235
Muschik, G.M., see Chan, K.C. 622(1993)269
Nadano, D., see Iida, R. 622(1993)9
Nakagawa, Y., see Metori, A. 622(1993)147
Niwa, T., see Kajita, M. 622(1993)263
Nortier, Y.L.M., see Wafelman, A.R. 622(1993)71
Ogamo, A., see Metori, A. 622(1993)147
Ogunbona, F.A., see Bolaji, O.O. 622(1993)93
Ogungbamila, F.O., see Bolaji, O.O. 622(1993)93
Ogunlana, E.O., see Bolaji, O.O. 622(1993)93
Ohhira, S. and Matsui, H.
Gas chromatographic determination of inorganic tin in rat urine after a single oral administration of stannous chloride and mono-, di-, and triphenyltin chloride 622(1993)173
Ohrui, H., see Akasaka, K. 622(1993)153
Oka, K., see Kouno, Y. 622(1993)47
Olesen, O.V. and Poulsen, B.
On-line fully automated determination of clozapine and desmethylclozapine in human serum by solid-phase extraction on exchangeable cartridges and liquid chromatography using a methanol buffer mobile phase on unmodified silica 622(1993)39
Ollagnier, M., see Gaillard, Y. 622(1993)197
Onyeji, C.O., see Bolaji, O.O. 622(1993)93
Perez, J.A., see Chicharro, M. 622(1993)103
Pérez-Jiménez, F., see Rúiz-Gutierrez, V. 622(1993)117
Pinkston, J.D., Venkatramani, C.J., Tulich, L.J., Bowling, D.J. and Wehmeyer, K.R.
Evaluation of capillary supercritical fluid chromatography with mass spectrometric detection for the analysis of a drug (mebeverine) in a dog plasma matrix 622(1993)209

Poitrenaud, F., see Lucas, D. 622(1993)79
Poulsen, B., see Olesen, O.V. 622(1993)39
Prachar, V., see Veningerová, M. 622(1993)274
Prada, J.L., see Rúiz-Gutierrez, V. 622(1993)117
Raynaud, F., Walton, M. and Judson, I.
High-performance liquid chromatographic assay for the measurement of the novel microtubule inhibitor 1069C85 in biological tissues and fluids 622(1993)243
Rhodes, J.M., see Campbell, B.J. 622(1993)137
Röder, Th., see Tsikas, D. 622(1993)1
Romanyshyn, L.A., Wichmann, J.K., Kucharczyk, N. and Sofia, R.D.
Simultaneous determination of felbamate and four metabolites in rat cerebrospinal fluid by high-performance liquid chromatography 622(1993)223
Romanyshyn, L.A., Wichmann, J.K., Kucharczyk, N. and Sofia, R.D.
Simultaneous determination of felbamate and three metabolites in rat and dog plasmas by high-performance liquid chromatography 622(1993)229
Rosing, H., see Burger, D.M. 622(1993)235
Rosing, H., see Wafelman, A.R. 622(1993)71
Rúiz-Gutierrez, V., Prada, J.L. and Pérez-Jiménez, F.
Determination of fatty acid and triacylglycerol composition of human very-low-density lipoproteins 622(1993)117
Slattum, P., see Hanson, G.D. 622(1993)61
Sofia, R.D., see Romanyshyn, L.A. 622(1993)223
Sofia, R.D., see Romanyshyn, L.A. 622(1993)229
Stewart, J.T., see Kelly, J.W. 622(1993)291
Sugita, E.T., see Maderich, A.B. 622(1993)278
Takeshita, H., see Iida, R. 622(1993)9
Tidwell, R.R., see Hanson, G.D. 622(1993)61
Tsikas, D., Fauler, J., Gutzki, F.M., Röder, Th., Bestmann, H.J. and Frölich, J.C.
Gas chromatographic–mass spectrometric determination of leukotriene E_4 in human urine using deuterium-labelled leukotriene E_4 standards 622(1993)1
Tulich, L.J., see Pinkston, J.D. 622(1993)209
Underberg, W.J.M., see Wafelman, A.R. 622(1993)71
Van Beusekom, C.M., see Wolthers, B.G. 622(1993)33
Van der Vijgh, W.J.F., see Klein, I. 622(1993)249
Veningerová, M., Prachar, V., Lukácsová, M., Glasa, J. and Holomáň, J.
Rapid determination of sparteine and its metabolites in urine 622(1993)274
Venkatramani, C.J., see Pinkston, J.D. 622(1993)209
Verhagen Kamerbeek, W.D.J., see Wolthers, B.G. 622(1993)33
Vilanova, E., see Díaz-Alejo, N. 622(1993)179
Volpi, N.
Characterization of heparins with different relative molecular masses (from 11 600 to 1 600) by various analytical techniques 622(1993)13
Wafelman, A.R., Nortier, Y.L.M., Rosing, H., Underberg, W.J.M., Maes, R.A.A. and Beijnen, J.H.
High-performance liquid chromatographic determination of *m*-iodobenzylguanidine in urine of cancer patients 622(1993)71
Wainer, I.W., see Granville, C.P. 622(1993)21
Walton, M., see Raynaud, F. 622(1993)243
Watanabe, K., see Kajita, M. 622(1993)263
Wehmeyer, K.R., see Pinkston, J.D. 622(1993)209
Welink, J., see Klein, I. 622(1993)249
Wichmann, J.K., see Romanyshyn, L.A. 622(1993)223
Wichmann, J.K., see Romanyshyn, L.A. 622(1993)229
Wolthers, B.G., Verhagen Kamerbeek, W.D.J., Van Beusekom, C.M., Elshof, F., De Ruyter Buitenhuis, A.W., Brunt, E.P.R. and Lakke, J.P.W.F.
Quantitative determination of the dopamine agonist lisuride in plasma using high-performance liquid chromatography with fluorescence detection 622(1993)33
Yasuda, T., see Iida, R. 622(1993)9
Yeh, T.-K., Dalton, J.T. and Au, J.L.-S.
High-performance liquid chromatographic determination of pentamidine in plasma 622(1993)255
Zapardiel, A., see Chicharro, M. 622(1993)103

Compound Index

Acetylcholine
Improved method for the routine analysis of acetylcholine release *in vivo*: quantitation in the presence and absence of esterase inhibitor 622(1993)125

Acetylcholine esterase inhibitors
Improved method for the routine analysis of acetylcholine release *in vivo*: quantitation in the presence and absence of esterase inhibitor 622(1993)125

Alditols
Separation of neutral oligosaccharide alditols from human meconium using high-pH anion-exchange chromatography 622(1993)137

Alpidem
Simultaneous screening and quantitation of alpidem, zolpidem, buspirone and benzodiazepines by dual-channel gas chromatography using electron-capture and nitrogen–phosphorus detection after solid-phase extraction 622(1993)197

Amino acids, secondary
Micellar electrokinetic chromatography of hydroxyproline and other secondary amino acids in biological samples with laser-induced fluorescence detection 622(1993)269

2-Amino-2-hydroxymethyl-1,3-propanediol
Determination of tris(hydroxymethyl)aminomethane (tromethamine) in human plasma and urine by high-performance liquid chromatography with fluorescence detection 622(1993)87

3′-Amino-3′-deoxythymidine
Determination of 3′-amino-3′-deoxythymidine, a cytotoxic metabolite of 3′-azido-3′-deoxythymidine, in human plasma by ion-pair high-performance liquid chromatography 622(1993)235

Antipyrine
Serum antipyrine concentrations determined by micellar electrokinetic capillary chromatography 622(1993)98

3′-Azido-3′-deoxythymidine
Determination of 3′-amino-3′-deoxythymidine, a cytotoxic metabolite of 3′-azido-3′-deoxythymidine, in human plasma by ion-pair high-performance liquid chromatography 622(1993)235

Benzodiazepines
Simultaneous screening and quantitation of alpidem, zolpidem, buspirone and benzodiazepines by dual-channel gas chromatography using electron-capture and nitrogen–phosphorus detection after solid-phase extraction 622(1993)197

Bupivacaine
High-performance liquid chromatographic determination of bupivacaine in plasma samples for biopharmaceutical studies and application to seven other local anaesthetics 622(1993)284

Buspirone
Simultaneous screening and quantitation of alpidem, zolpidem, buspirone and benzodiazepines by dual-channel gas chromatography using electron-capture and nitrogen–phosphorus detection after solid-phase extraction 622(1993)197

1069C85
High-performance liquid chromatographic assay for the measurement of the novel microtubule inhibitor 1069C85 in biological tissues and fluids 622(1993)243

Carbamazepine
Simple and accurate high-performance liquid chromatographic method for the measurement of three antiepileptics in therapeutic drug monitoring 622(1993)47

3-Carbamoyloxy-2-phenylpropionic acid
Simultaneous determination of felbamate and four metabolites in rat cerebrospinal fluid by high-performance liquid chromatography 622(1993)223

Catecholamines
Simultaneous analysis of homovanillic acid, 5-hydroxyindoleacetic acid, 3-methoxy-4-hydroxy-phenylethylene glycol and vanilmandelic acid in plasma from alcoholics by high-performance liquid chromatography with electrochemical detection 622(1993)161

Chlorzoxazone
High-performance liquid chromatographic determination of chlorzoxazone and 6-hydroxychlorzoxazone in serum: a tool for indirect evaluation of cytochrome P4502E1 activity in humans 622(1993)79

Cholesterol esters
Simultaneous determination of hydroperoxides of phosphatidylcholine, cholesterol esters and triacylglycerols by column-switching high-performance liquid chromatography with a post-column detection system 622(1993)153

Choline
Improved method for the routine analysis of acetylcholine release *in vivo*: quantitation in the presence and absence of esterase inhibitor 622(1993)125

Clozapine
On-line fully automated determination of clozapine and desmethylclozapine in human serum by solid-phase extraction on exchangeable cartridges and liquid chromatography using a methanol buffer mobile phase on unmodified silica 622(1993)39

Cytochrome P4502E1
High-performance liquid chromatographic determination of chlorzoxazone and 6-hydroxychlorzoxazone in serum: a tool for indirect evaluation of cytochrome P4502E1 activity in humans 622(1993)79

Dechloroethylifosfamides
Determination of the enantiomers of ifosfamide and its 2- and 3-N-dechloroethylated metabolites in plasma and urine using enantioselective gas chromatography with mass spectrometric detection 622(1993)21

Dehydrosparteine
Rapid determination of sparteine and its metabolites in urine 622(1993)274

Desmethylclozapine
On-line fully automated determination of clozapine and desmethylclozapine in human serum by solid-phase extraction on exchangeable cartridges and liquid chromatography using a methanol buffer mobile phase on unmodified silica 622(1993)39

Dextran sulphate
Determination of polyanionic macromolecules by size-exclusion chromatography 622(1993)278

1,3-Di(4-imidazolino-2-methoxyphenoxy)propane
Determination of 1,3-di(4-imidazolino-2-methoxyphenoxy)propane in rat, dog and human plasma and urine by high-performance liquid chromatography with fluorescence detection 622(1993)61

2,3-Dinor-6-oxoprostaglandin $F_{1\alpha}$
Assay of urinary 2,3-dinor-6-oxo prostaglandin $F_{1\alpha}$ by gas chromatography–tandem mass spectrometry 622(1993)109

Dopamine agonist
Quantitative determination of the dopamine agonist lisuride in plasma using high-performance liquid chromatography with fluorescence detection 622(1993)33

Drotaverine
High-performance liquid chromatographic method for the determination of drotaverine in human plasma and urine 622(1993)93

Drugs
Evaluation of capillary supercritical fluid chromatography with mass spectrometric detection for the analysis of a drug (mebeverine) in a dog plasma matrix 622(1993)209

Elsamitrucin
Determination of Elsamitrucin (BMY-28090) in plasma and urine by high-performance liquid chromatography with fluorescence detection 622(1993)249

Enzymes
High-performance liquid chromatographic determination of chlorzoxazone and 6-hydroxychlorzoxazone in serum: a tool for indirect evaluation of cytochrome P4502E1 activity in humans 622(1993)79

Improved method for the routine analysis of acetylcholine release *in vivo*: quantitation in the presence and absence of esterase inhibitor 622(1993)125

Ephedrine
Direct determination of ephedrine and norephedrine in human urine by capillary zone electrophoresis 622(1993)103

Fatty acids
Determination of fatty acid and triacylglycerol composition of human very-low-density lipoproteins 622(1993)117

Quantitation of monohydroxy fatty acids by high-performance liquid chromatography with fluorescence detection 622(1993)147

Felbamate
Simultaneous determination of felbamate and four metabolites in rat cerebrospinal fluid by high-performance liquid chromatography 622(1993)223

Simultaneous determination of felbamate and three metabolites in rat and dog plasmas by high-performance liquid chromatography 622(1993)229

Felbamate monocarbamate
Simultaneous determination of felbamate and four metabolites in rat cerebrospinal fluid by high-performance liquid chromatography 622(1993)223

Simultaneous determination of felbamate and three metabolites in rat and dog plasmas by high-performance liquid chromatography 622(1993)229

Heparin
Characterization of heparins with different relative molecular masses (from 11 600 to 1 600) by various analytical techniques 622(1993)13

Hexyl 2,5-dichlorophenyl phosphoramidate
Chiral high-performance liquid chromatography and gas chromatography of the stereoisomers of hexyl 2,5-dichlorophenyl phosphoramidate 622(1993)179

Homovanillic acid
Simultaneous analysis of homovanillic acid, 5-hydroxyindoleacetic acid, 3-methoxy-4-hydroxyphenylethylene glycol and vanilmandelic acid in plasma from alcoholics by high-performance liquid chromatography with electrochemical detection 622(1993)161

6-Hydroxychlorzoxazone
High-performance liquid chromatographic determination of chlorzoxazone and 6-hydroxychlorzoxazone in serum: a tool for indirect evaluation of cytochrome P4502E1 activity in humans 622(1993)79

Hydroxyeicosatetraenoic acid
Quantitation of monohydroxy fatty acids by high-performance liquid chromatography with fluorescence detection 622(1993)147

Hydroxyfelbamate
Simultaneous determination of felbamate and four metabolites in rat cerebrospinal fluid by high-performance liquid chromatography 622(1993)223

Simultaneous determination of felbamate and three metabolites in rat and dog plasmas by high-performance liquid chromatography 622(1993)229

5-Hydroxyindoleacetic acid
Simultaneous analysis of homovanillic acid, 5-hydroxyindoleacetic acid, 3-methoxy-4-hydroxyphenylethylene glycol and vanilmandelic acid in plasma from alcoholics by high-performance liquid chromatography with electrochemical detection 622(1993)161

Hydroxyoctadecadienoic acid
Quantitation of monohydroxy fatty acids by high-performance liquid chromatography with fluorescence detection 622(1993)147

Hydroxyproline
Micellar electrokinetic chromatography of hydroxyproline and other secondary amino acids in biological samples with laser-induced fluorescence detection 622(1993)269

Ifosfamide
Determination of the enantiomers of ifosfamide and its 2- and 3-N-dechloroethylated metabolites in plasma and urine using enantioselective gas chromatography with mass spectrometric detection 622(1993)21

Immunoglobulin G
Kappa marker typing with high-performance liquid chromatography: identification of kappa marker specific tryptic peptide from the kappa light chain of immunoglobulin G 622(1993)9

Kappa marker
Kappa marker typing with high-performance liquid chromatography: identification of kappa marker specific tryptic peptide from the kappa light chain of immunoglobulin G 622(1993)9

Leukotriene E_4
Gas chromatographic–mass spectrometric determination of leukotriene E_4 in human urine using deuterium-labelled leukotriene E_4 standards 622(1993)1

Lipids
Determination of fatty acid and triacylglycerol composition of human very-low-density lipoproteins 622(1993)117

Lipoproteins
Determination of fatty acid and triacylglycerol composition of human very-low-density lipoproteins 622(1993)117

Lisuride
Quantitative determination of the dopamine agonist lisuride in plasma using high-performance liquid chromatography with fluorescence detection 622(1993)33

***m*-Iodobenzylguanidine**
High-performance liquid chromatographic determination of *m*-iodobenzylguanidine in urine of cancer patients 622(1993)71

Mebeverine
Evaluation of capillary supercritical fluid chromatography with mass spectrometric detection for the analysis of a drug (mebeverine) in a dog plasma matrix 622(1993)209

3-Methoxy-2-N,N-methyloctadecylaminopropyloxyphosphorylcholine
Determination of the aza alkyl lysophospholipid 3-methoxy-2-N,N-methyloctadecylaminopropyloxyphosphorylcholine in rat plasma by liquid chromatography–particle beam–mass spectrometry 622(1993)215

3-Methoxy-4-hydroxyphenylethylene glycol
Simultaneous analysis of homovanillic acid, 5-hydroxyindoleacetic acid, 3-methoxy-4-hydroxyphenylethylene glycol and vanilmandelic acid in plasma from alcoholics by high-performance liquid chromatography with electrochemical detection 622(1993)161

Microtubule inhibition
High-performance liquid chromatographic assay for the measurement of the novel microtubule inhibitor 1069C85 in biological tissues and fluids 622(1993)243

Monohydroxy fatty acids
Quantitation of monohydroxy fatty acids by high-performance liquid chromatography with fluorescence detection 622(1993)147

Moprolol
Identification and determination of the enantiomers of moprolol and their metabolites in human urine by high-performance liquid chromatography and gas chromatography–mass spectrometry 622(1993)187

Norephedrine
Direct determination of ephedrine and norephedrine in human urine by capillary zone electrophoresis 622(1993)103

Oligosaccharide alditols
Separation of neutral oligosaccharide alditols from human meconium using high-pH anion-exchange chromatography 622(1993)137

Ondansetron
High-performance liquid chromatographic separation of ondansetron enantiomers in serum using a cellulose-derivatized stationary phase and solid-phase extraction 622(1993)291

Organic acids
Analysis of urinary organic acids by liquid chromatography–atmospheric pressure chemical ionization mass spectrometry 622(1993)263

Organotin compounds
Gas chromatographic determination of inorganic tin in rat urine after a single oral administration of stannous chloride and mono-, di-, and triphenyltin chloride 622(1993)173

Pentamidine
High-performance liquid chromatographic determination of pentamidine in plasma 622(1993)255

Peptides
Kappa marker typing with high-performance liquid chromatography: identification of kappa marker specific tryptic peptide from the kappa light chain of immunoglobulin G 622(1993)9

Phenobarbital
Simple and accurate high-performance liquid chromatographic method for the measurement of three antiepileptics in therapeutic drug monitoring 622(1993)47

Phenyltin chloride
Gas chromatographic determination of inorganic tin in rat urine after a single oral administration of stannous chloride and mono-, di-, and triphenyltin chloride 622(1993)173

Phenytoin
Simple and accurate high-performance liquid chromatographic method for the measurement of three antiepileptics in therapeutic drug monitoring 622(1993)47

Phosphatidylcholine
Simultaneous determination of hydroperoxides of phosphatidylcholine, cholesterol esters and triacylglycerols by column-switching high-performance liquid chromatography with a post-column detection system 622(1993)153

Phospholipids
Determination of fatty acid and triacylglycerol composition of human very-low-density lipoproteins 622(1993)117

Polyanions
Determination of polyanionic macromolecules by size-exclusion chromatography 622(1993)278

Sparteine
Rapid determination of sparteine and its metabolites in urine 622(1993)274

Stannous chloride
Gas chromatographic determination of inorganic tin in rat urine after a single oral administration of stannous chloride and mono-, di-, and triphenyltin chloride 622(1993)173

Sulfamethazine
Fully automated determination of sulfamethazine in ovine plasma using solid-phase extraction on disposable cartridges and liquid chromatography 622(1993)53

Tin, inorganic
Gas chromatographic determination of inorganic tin in rat urine after a single oral administration of stannous chloride and mono-, di-, and triphenyltin chloride 622(1993)173

Triacylglycerol
Simultaneous determination of hydroperoxides of phosphatidylcholine, cholesterol esters and triacylglycerols by column-switching high-performance liquid chromatography with a post-column detection system 622(1993)153

Triacylglycerols
Determination of fatty acid and triacylglycerol composition of human very-low-density lipoproteins 622(1993)117

Tris(hydroxymethyl)aminomethane
Determination of tris(hydroxymethyl)aminomethane (tromethamine) in human plasma and urine by high-performance liquid chromatography with fluorescence detection 622(1993)87

Tromethamine
Determination of tris(hydroxymethyl)aminomethane (tromethamine) in human plasma and urine by high-performance liquid chromatography with fluorescence detection 622(1993)87

Tryptic peptide, kappa marker-specific
Kappa marker typing with high-performance liquid chromatography: identification of kappa marker specific tryptic peptide from the kappa light chain of immunoglobulin G 622(1993)9

Tubulin-binding agent
High-performance liquid chromatographic assay for the measurement of the novel microtubule inhibitor 1069C85 in biological tissues and fluids 622(1993)243

Vanilmandelic acid
Simultaneous analysis of homovanillic acid, 5-hydroxyindoleacetic acid, 3-methoxy-4-hydroxy-phenylethylene glycol and vanilmandelic acid in plasma from alcoholics by high-performance liquid chromatography with electrochemical detection 622(1993)161

Very-low-density lipoproteins
Determination of fatty acid and triacylglycerol composition of human very-low-density lipoproteins 622(1993)117

Zolpidem
Simultaneous screening and quantitation of alpidem, zolpidem, buspirone and benzodiazepines by dual-channel gas chromatography using electron-capture and nitrogen–phosphorus detection after solid-phase extraction 622(1993)197